Lockout Pro™ v3.0 Graphical Procedure Writing Software

Systems Requirements

Lockout Pro 3.0 Desktop (LOPDESK1001)
- Desktop Client Requirements
- Desktop Viewer Requirements

Desktop Client

Brady Lockout PRO allows the user create and implement a thorough OSHA compliant Lockout-Tagout program throughout their facility with ease. Now users can work faster and more efficiently than ever before thanks to the automated features provided by Lockout PRO. Lockout PRO uses the conventions that users are already familiar with so that they can quickly begin creating their machine-specific lockout-tagout procedures using a comfortable, familiar interface.

Desktop Viewer Client (Included for free with Lockout Pro Desktop)

Share lockout procedures with those who need to view and print. This program is installed locally on the computers of users who need access to the advanced printing options, and may be installed by any user having an account on the computer with Administrative program installation permissions. This version however does not have any of the collaborative lockout procedure development features or the administrative and historical tracking tools available in the Lockout Pro Enterprise versions (Basic and Corporate).

Lockout PRO (Standard) – Hardware and Software Requirements		
	Minimum	**Recommended**
Processor	1.2 GHz or better	Same
Display Resolution	800x600 or better	1024x768 or higher
Memory (RAM)	512 MB	Same
Disk Space	500 MB	
Operating System	Windows 2000 Windows XP	
Internet Explorer	v5.0 or higher	v6.0 or newer
Printer driver	Shipped with supported printers	Also provided on Lockout PRO installation CD
.NET framework	v1.1 or higher	Provided on Lockout PRO installation CD for user to install if not already on user's system.
MDAC	v2.7	Installed during application installation if not found on user's system. Only newer version will be installed; an older version will never overwrite a newer version already on system.
MS Jet engine	v4.0	Installed during application installation if not found on user's system. Only newer version will be installed; an older version will never overwrite a newer version already on system.
Encryption		Installed during application installation if not found on user's system. Only newer version will be installed; an older version will never overwrite a newer version already on system.
ADSI	v2.5	Installed during application installation if not found on user's system. Only newer version will be installed; an older version will never overwrite a newer version already on system.

Lockout Pro 3.0 Enterprise Versions

- Desktop Client Requirements
- Web Viewer Requirements
- Server Requirements
- Administrator Tool Requirements

The Lockout Pro 3.0 Enterprise versions are Basic (LOPBASIC3001) and Corporate (LOPCORP2001). Basic has a 3 Administrator limitation whereas Corporate has unlimited user access for creation, edits, and deletions.

Desktop Client Requirements

A fully featured client application that provides full procedure creation and modification functionality.   After you've activated and configured LOCKOUT-PRO™, you can distribute the client installation files to users' computers, as well as send the Remote Administrator Application to additional administrator user machines. There are two ways to distribute these files:

- Use the provided Web Installer, which offers an easy interface instructing users how to save the installation files and then install LOCKOUT-PRO™.
- Use Microsoft's Group Management Policy tool to silently "push" the installation files to the client machines. (You may also have a third party software application that you use to perform such silent installs.)

Requirements	Minimum	Recommended
Network Connection	Access to installation of Lockout PRO Enterprise Server over an intranet	NA
Protocol	TCP/IP	TCP/IP

Server Requirements

A comprehensive application that provides file and data storage and management functionality to the other components of the system and supports the Web Viewer application that provides view/print access to the Lockout procedures and other content sections.

This program is installed on a web server configured for Intranet, Extranet, or secured Internet access. It is recommended that this be installed by the system administrator of the web server or an IT professional. This application can be installed on one server unless an additional server license has been purchased.

Restrictions

PC client apps have to be on the same domain as the server in order to see the server. If you have clients that are on different domains then they will need to be given domain access or an additional Enterprise application will need to be procured for that group.

Lockout PRO Enterprise Server Requirements		
Requirements	Minimum	Recommended
Processor	1.2 GHz or better	2.6 GHz
Memory (RAM)	512 Mb	1G
Disk Space	500 MB	NA
Operating System	Windows 2000 Windows 2003 Windows XP Professional	NA
IIS support	Configured and enabled	

Web Viewer Requirements (included with Enterprise Versions)

An HTML based application provided by the Lockout PRO – Enterprise Server component that provides view and print access to the Lockout procedures and the content sections including the online training. This is accessed through a web browser and requires no installation or configuration on the client computer. Unlimited access to this service is included in all licenses of Lockout PRO – Enterprise.

Unless otherwise noted in the table below, the requirements for Lockout PRO Enterprise are the same as those for Lockout PRO 3.0 Desktop version.

Requirement	Minimum	Recommended
Internet Explorer	v5.0 or higher	v6.0 or newer

Remote Administrator Requirements

The Administrator Application provides an easy-to-use interface to manage the enterprise server functions and as well as user access. *(Note: The remote administrator requirements are the same as the Lockout Pro Desktop requirements.)*

User Permission Levels

- **Administrator** A user with Admin rights may perform all functions available in both the client and server components of LOCKOUT PRO™

- **Author** A user with Author rights may create and edit procedures from the client application, as well as view and print, but cannot modify templates, defaults, or the related information.
- **Viewer** A user with Viewer rights may only view and print procedures, lockout tags, energy source labels, and related information.

Functions	Admin	Author	Viewer
View Existing Procedures	Y	Y	Y
View the related info in Lockout Pro™	Y	Y	Y
Create New Procedures	Y	Y	
Revise Existing Procedures	Y	Y	
Import earlier versions of Lockout-Pro files	Y	Y	
Export Procedures to other file formats	Y	Y	
Save new or revised procedures	Y	Y	
Administer Lockout Pro client licenses	Y		
Maintain user permission levels	Y		
Edit Procedure templates	Y		
Change Lockout Pro default lists	Y		
Modify the related information in Lockout Pro	Y		
Transfer procedures between user groups	Y		

Supported Printers and Templates

The Lockout PRO application must support printing on the following printers:
- GlobalMark
- HandiMark (energy source labels only)
- Sheet-fed laser/inkjet

The following layouts (templates) must be supported. In most cases the layouts are unchanged from previous versions of the application. If the layout is new or revised for v3.0, updated templates must be provided by Marketing.

Output Type	Sheet-fed Layouts	GlobalMark Layouts	HandiMark Layouts
Procedure—Short form	8.5 x 11 sheet 7 x 10 label (REQ2)	16" panel, continuous	Not supported
Procedure—Long form	8.5 x 11 sheet 7 x 10 label (REQ2)	16" panel, continuous	Not supported
Procedure—Combined form (REQ28)	8.5 x 11 sheet 7 x 10 label (REQ2)	16" panel, continuous	Not supported
Lockout tags	2 tag sheet 6 tag sheet 8 tag sheet	8" panel, continuous 16" panel, continuous 3x5 (REQ20) and 4x6 (both printed on continuous tape)	Not supported
Energy Source labels (revised layout for REQ38)	1 ¾ x 2 ½ labels 3.5 x 5 labels (REQ27)	8" panel, continuous 16" panel, continuous VIP tag sizes/shape (REQ43) printed on continuous tape (3x1.5, 4x2.5)	2" tape, continuous