

## Kodak EasyShare C1530 Digital Camera

### Specifications

#### Standard features

Sensor type 1 / 2.3-type CCD

CCD total pixels 14.5 MP (4440 × 3274)

Effective pixels 14 MP (4314 × 3242)

Zoom 3X optical, 5X advanced digital

Image stabilization Blur reduction

Lens 32–96 mm (35 mm equivalent)

Lens protection Built-in mechanical lens cover

Shutter speed 1/4–1/1400 sec.

Display 3.0 in. 230K color LCD

Storage 32 MB internal memory<sup>1</sup>, SD/SDHC card expansion slot

#### Auto focus

Type TTL-AF

Focus range 0.6 m (23.6 in.)–infinity @ wide, standard

0.6 m (23.6 in.)–infinity @ tele, standard

0.1–0.7 m (3.9–27.5 in) @ wide-macro

0.35–0.7 m (13.8–27.5 in.) @ tele, macro

Focus modes Normal, macro, infinity

Focus control Continuous, single

Focus zone TTL multi-zone, center zone, face priority

AF (Auto Focus)

assist light No

#### Exposure control

ISO sensitivity auto (Smart Capture): 64-400

manual: 64, 100, 200, 400, 800, 1000

Compensation +/-2.0 EV with 1/3 EV steps

AE lock When shutter is depressed ½-way to S1

White balance Auto, daylight, tungsten, fluorescent, open shade

#### Flash

Flash range 0.3–4.1 m (11.8 in.-13.5 ft) @ wide, ISO 400

1.0–2.3 m (3.3-7.5 ft) @ tele, ISO 400

Flash modes Auto, fill, red eye reduction, off

#### Shooting specifications

Burst modes Self-timer (2 sec. /10 sec., 2-shot), burst maximum 3 shots

Face recognition Yes

Face detection Yes

Shooting modes Smart Capture, program (P), scene, video

Scene modes Portrait, landscape, close-up, night portrait, night landscape, fireworks, self-portrait, high-ISO, children, backlight, bright, candlelight, sunset, sport, blur reduction, panorama

#### Still capture

Still format JPEG/EXIF v 2.21

Picture size 14 MP (4288 × 3216)—4:3

12 MP (4288 × 2848)—3:2

10 MP (4288 × 2416)—16:9

6 MP (2880 × 2160)—4:3

3 MP (2048 × 1536)—4:3

Color modes Vivid, full, and basic color; black and white; sepia

Sharpness Sharp, normal (default), soft

Long time exposure 0.5–8 sec.

Review options Select all, tag people, keyword tag, print, favorite, protect, slideshow, properties, view thumbnails

Smart Capture Yes (integration of face detection, scene detection, optimized auto ISO, broader dynamic range, auto KODAK PERFECT TOUCH Technology, optimized output)

Framing grid No

Orientation sensor No

Internal memory Yes

Date/time stamp Yes

Editing KODAK PERFECT TOUCH Technology, crop, rotate picture, add date stamp

#### Video capture

Format Motion JPEG-A, AVI with audio recording during capture

Quality VGA (640 × 480) at 30 fps

Auto focus Single AF

Zoom during video Digital zoom

Image stabilization No

Length Continuous based on memory capacity, up to 2 GB

Review options Select all, favorite, keyword tag, protect, slideshow, properties, view thumbnails

Editing Make picture, trim, action print, copy

#### Share

Share menu KODAK Gallery, KODAK PULSE Digital Frame2, FACEBOOK, FLICKR, YouTube, TWITTER, ORKUT, YANDEX, KAIXIN001 Sites3, e-mail

#### Customization

Custom settings Date & time, Share button, LCD brightness, red-eye reduction, camera sounds, video out, image storage, language, reset all camera settings, computer connection, format, KODAK Camera Software, about

### Physical specifications

I/O interface A/V output (NTSC or PAL selectable), digital USB 2.0 high speed

Power 2 AA Ni-MH batteries, 2 AA lithium batteries, 2 AA alkaline batteries

Dedicated buttons Power, shutter, flash, mode, zoom, review, menu, 5-way switch, delete, Share, info

Tripod mount 1/4 in. standard

Dimensions W × H × D: 3.8 × 2.5 × 1.2 in.

Weight 6.3 oz with in-box batteries and memory card

### Compatibility

Direct print PictBridge-enabled

Software Works with KODAK EASYSHARE Software, includes one-time download of Kodak's Share button app

### Warranty

One year

### System requirements

#### WINDOWS

- WINDOWS XP SP2, VISTA, WINDOWS 7 or later
- INTERNET EXPLORER 6.0 or higher

#### MACINTOSH

- MACINTOSH 10.4, 10.5, 10.6 or higher
- SAFARI 1.1 or higher

### Hardware requirements

- PENTIUM-4, 2.8 GHz processor or higher
- 1 GB RAM and 64 MB video RAM
- 300 MB hard drive space available
- CD-ROM drive
- Available USB port (1.1 or higher)
- 1024 x 768 display resolution

1 32 MB internal memory / 18 MB available for video and picture storage (1 MB equals one million bytes).

2 KODAK PULSE Digital Frame and KODAK Gallery support still pictures; video not supported.

3 Sharing sites vary by region.