


88 5527 49 Hall Tree Stand

IMPORTANT NOTE


Carefully remove all the parts from the carton and put them individually on a soft cloth to prevent scratches or other damages occurring to the parts.

We have taken great care in the design of this product and request that you carefully and strictly follow our assembly instructions to ensure a completed product as it was designed.

Home Styles



Part List



Hardware List



Tools required for assembly : **Phillips** screwdriver

Tools recommended for assembly : Level

Home Styles Consumer Assistance: www.homestyles-furniture.com,
servicedesk@homestyles-furniture.com, 888-680-7460, 877-831-0319

Assembly Instructions 2/6


IMPORTANT

* Do not tighten up all the screws until each part is properly assembled.

* You should keep Hex Wrench in a safe place as you may need to tighten up the Head Cap Bolts in the future.



STEP 1


Attach Legs (J) to Base (K) with Head Cap Bolts.



STEP 2

Put Cam Lock Screws into the pre-drilled holes of Side Panel (B), (C), (N), (O) Base (K), Top (M) and tighten.






STEP 3

Attach Back Stretcher (E) and (F) to Side Panel (B) using Cam Locks.

Slide Back Panel (G) into place.

Attach Front Panel (D) to Side Panel (B) using Cam Locks.

Attach Side Panel (C) to unit using Cam Locks.




STEP 4

Attach Base (K) to unit using Cam Locks.

Assembly Instructions 4/6

STEP 5



Attach Front Stretcher (L)
Back Stretcher (F) and (S)
to Side Panel (N) using
Cam Locks.

Slide Back Panel (R) to unit.

Attach Rail (P) to Back Stretcher (S)
and slide Back Panels (Q) to unit.


Attach Back Stretcher (T) to unit
using Cam Lock.

Attach Side Panel (O) to unit
using Cam Locks.

STEP 6

Attach Top (M) to unit using Cam Locks.


Attach Arm (H) and (I) to unit
with Head Cap Bolts.



Assembly Instructions 5/6


STEP 7

Place the top unit onto the base unit with Head Cap Bolts.




Head Cap Bolt

Head Cap Bolt



STEP 8


Attach the Seat (A) to the base unit with Head Cap Bolts.



Wood Screw for Spring Support

Spring Support

Figure 1





Spring Support

STEP 9


Attach Spring Support to the unit with Wood Screws into the pre-drilled holes. (see Figure 1)

Assembly Instructions 6/6



STEP 10

Attach Hooks to the top of unit with Wood Screws for Hooks.
(see Figure 2)



STEP 11

To level the unit,
adjust the adjustable levelers
on the bottom of legs.
(See figure 3)

Attach Wood Screws for
Back Panel to the back of the unit.

**Note: Please make sure unit is level
before tightening these screws.**




Figure 3