





# Assembly Instructions









Packing List of Single Door Locker


KDCL7236/1

Tools for Installation





## Assembly Instructions for the product


It is used to store files, materials, clothing and other articles of daily use, light weight utensils,etc.

[Suitable Scope ]: This product is suitable for all places such as offices, locker rooms, reference rooms, markets and household, where humidity is not over 60%; It should not be used for extended time under such circumstances as high corrosion, high humidity.

### [Caution]

1. Assembly: Check parts and assemble according to the drawings.
2. It should be handled with care and not pulled or pushed. Do not exert force on one point locally, and do not bump, to prevent it from distorting.
3. The cabinet body should be placed on a level surface (The part contacting with the surface should be dry), and kept upright and foursquare, to secure all the parts to be opened freely.
4. Load-bearing of each shelf of the file cabinet should not exceed more than 99.21 lb.
5. Clean the cabinet with water. Do not use solvents, in order to avoid color changing.
6. All screws should be kept tight and drawer glides lubricated so drawers will operate smoothly.

# Assembly Instructions








KDCL7236/3


Necessary tools for assembly:

a star screwdriver  and a rubber hammer 


Your Package Should Contain:




step 5




step 7




step 6




step 8




step 9



step 11



step 10



## Assembly Instructions for the product

It is used to store files, materials, clothing and other articles of daily use, light weight utensils,etc.

[Suitable Scope ]: This product is suitable for all places such as offices, locker rooms, reference rooms, markets and household, where humidity is not over 60%; It should not be used for extended time under such circumstances as high corrosion, high humidity.

[Caution]

1. Assembly: Check parts and assemble according to the drawings.
2. It should be handled with care and not pulled or pushed. Do not exert force on one point locally, and do not bump, to prevent it from distorting.
3. The cabinet body should be placed on a level surface (The part contacting with the surface should be dry), and kept upright and foursquare, to secure all the parts to be opened freely.
4. Load-bearing of each shelf of the file cabinet should not exceed more than 99.21 lb.
5. Clean the cabinet with water. Do not use solvents, in order to avoid color changing.
6. All screws should be kept tight and drawer glides lubricated so drawers will operate smoothly.